L Number	Hits	Search Text	DB	Time stamp
-	0	("(creat$3 or generat$3) with (database$1 or (data adj base$1))").PN.	USPAT; US-PGPUB	2002/07/08 19:13
-	23943	(creat$3 or generat$3) with (database$1 or (data adj base$1))	USPAT; US-PGPUB	2002/07/08 19:17
-	639	definition$1 and schema$1 and table$1 and column$1 and relationship$1	USPAT; US-PGPUB	2002/07/08 19:22
-	0	(("(creat$3 or generat$3) with (database$1 or (data adj base$1))").PN.) and ((creat$3 or generat$3) with (database$1 or (data adj base$1)))	USPAT; US-PGPUB	2002/07/08 19:36
-	445	((creat$3 or generat$3) with (database$1 or (data adj base$1))) and (definition$1 and schema$1 and table$1 and column$1 and relationship$1)	USPAT; US-PGPUB	2002/07/08 19:40
-	448	foreign adj1 key$1	USPAT; US-PGPUB	2002/07/08 19:42
-	0	"many to many"	USPAT; US-PGPUB	2002/07/08 19:43
-	0	many adj1 (to adj1 many)	USPAT; US-PGPUB	2002/07/08 19:44
-	92	associative adj1 (table$1 or entities)	USPAT; US-PGPUB	2002/07/08 19:45
-	1073	definition$1 and schema$1 and (entity or entities or table$1) and (attribute$1 or column$1 or field$1) and relationship$1	USPAT; US-PGPUB	2002/07/08 19:49
-	664	((creat$3 or generat$3) with (database$1 or (data adj base$1))) and (definition$1 and schema$1 and (entity or entities or table$1) and (attribute$1 or column$1 or field$1) and relationship$1)	USPAT; US-PGPUB	2002/07/08 19:55
-	4	(((creat$3 or generat$3) with (database$1 or (data adj base$1))) and (definition$1 and schema$1 and (entity or entities or table$1) and (attribute$1 or column$1 or field$1) and relationship$1)) and (foreign adj1 key$1) and (associative adj1 (table$1 or entities))	USPAT; US-PGPUB	2002/07/08 19:56
-	1	5295256.pn.	USPAT; US-PGPUB	2002/07/16 09:51
-	4	5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.	USPAT; US-PGPUB	2002/07/16 09:55
-	5	5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.	USPAT; US-PGPUB	2002/07/16 09:55
-	1	6035300.pn.	USPAT; US-PGPUB	2002/07/16 10:41
-	1	6035300.pn. and ((creat$3 or generat$3 or produc$3) near4 table$1 or (database$1 or (data adj base$1)))	USPAT; US-PGPUB	2002/07/16 10:45
-	1	6035300.pn. and ((creat$3 or generat$3 or produc$3) near4 (table$1 or (database$1 or (data adj base$1))))	USPAT; US-PGPUB	2002/07/16 10:45
-	5	5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.	USPAT; US-PGPUB	2002/07/16 10:54
-	5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and ((creat$3 or generat$3 or produc$3) with ((database$1 or (data adj base$1)) or table$1))	USPAT; US-PGPUB	2002/07/16 11:31
-	5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (schema or (data near2 definition) or (data near2 description))	USPAT; US-PGPUB	2002/07/16 11:52
-	5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (relationship$1 with ((entity or entities or table$1) with (attribute$1 or column$1 or field$1)))	USPAT; US-PGPUB	2002/07/16 12:05

C:\APPS\EAST\Workspaces\Creating_Database_09625518.wsp

-		3	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and semantics	USPAT; US-PGPUB	2002/07/16 12:22
-		2	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and join	USPAT; US-PGPUB	2002/07/16 12:22
-		5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and join$3	USPAT; US-PGPUB	2002/07/16 12:34
-		4	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (((foreign adj1 key$1) or FK$1) or (many near2 one))	USPAT; US-PGPUB	2002/07/16 12:45
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (many near2 many) with (associat$3)	USPAT; US-PGPUB	2002/07/16 12:46
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and ((many near2 many) with (associat$3))	USPAT; US-PGPUB	2002/07/16 12:46
-		3	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (many near2 many)	USPAT; US-PGPUB	2002/07/16 12:48
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and associative	USPAT; US-PGPUB	2002/07/16 12:48
-		2	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and unique adj (key$1 or field$1 or value$1 or attribute$1)	USPAT; US-PGPUB	2002/07/16 12:53
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (automatic$4 with populat$3)	USPAT; US-PGPUB	2002/07/16 12:54
-		1	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (populat$3 with data)	USPAT; US-PGPUB	2002/07/16 12:57
-	268687		(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and update or insert	USPAT; US-PGPUB	2002/07/16 12:57
-		5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (update or insert)	USPAT; US-PGPUB	2002/07/16 13:32
-		1	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and propag$3	USPAT; US-PGPUB	2002/07/16 13:33
-		4	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and integrity	USPAT; US-PGPUB	2002/07/16 13:40
-		5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and ((number or numeric or value or sale$1 or dollar, transaction) near4 (data or column or field or attribute))	USPAT; US-PGPUB	2002/07/16 14:00
-		3	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and date$1	USPAT; US-PGPUB	2002/07/16 14:03
-		1	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (Month$1 or year$1 or day$1)	USPAT; US-PGPUB	2002/07/16 14:05
-		5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (source or extract$3)	USPAT; US-PGPUB	2002/07/16 14:33
-		3	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (source and extract$3)	USPAT; US-PGPUB	2002/07/16 14:55
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (aggregate near2 table$1)	USPAT; US-PGPUB	2002/07/16 14:56
-		0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and aggregate$1	USPAT; US-PGPUB	2002/07/16 14:56

C:\APPS\EAST\Workspaces\Creating_Database_09625518.wsp

-	0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn. or 5295256.pn.) and aggregat$3	USPAT; US-PGPUB	2002/07/16 14:57
-	0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn. or 5295256.pn.) and (sum or average)	USPAT; US-PGPUB	2002/07/16 14:58
-	5	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn. or 5295256.pn.) and summary	USPAT; US-PGPUB	2002/07/16 14:58
-	0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (summary near2 (table$1 or level$1))	USPAT; US-PGPUB	2002/07/16 14:59
-	1	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and calculated	USPAT; US-PGPUB	2002/07/16 15:05
-	3	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and ("user interface")	USPAT; US-PGPUB	2002/07/16 15:17
-	4	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and query$3	USPAT; US-PGPUB	2002/07/16 15:35
-	0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and (datamart$1 or (data adj1 mart$1))	USPAT; US-PGPUB	2002/07/16 15:39
-	0	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and star	USPAT; US-PGPUB	2002/07/16 15:39
-	4	(5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) and fact	USPAT; US-PGPUB	2002/07/16 16:06
-	34001	source adj3 (system$1 or (database$1 or (data adj base$1)))	USPAT; US-PGPUB	2002/07/16 16:11
	171	(source adj3 (system$1 or (database$1 or (data adj base$1)))) with key$1	USPAT; US-PGPUB	2002/07/16 16:31
-	10	(((source adj3 (system$1 or (database$1 or (data adj base$1)))) with key$1) with (stor$3)) and extract$3	USPAT; US-PGPUB	2002/07/16 16:15
-	25	((source adj3 (system$1 or (database$1 or (data adj base$1)))) with key$1) with (stor$3)	USPAT; US-PGPUB	2002/07/16 16:23
-	206	(source adj3 (system$1 or (database$1 or (data adj base$1)))) with source near3 (id or identification or identifier$1)	USPAT; US-PGPUB	2002/07/16 16:33
-	206	(source adj3 (system$1 or (database$1 or (data adj base$1)))) with (source near3 (id or identification or identifier$1))	USPAT; US-PGPUB	2002/07/16 16:37
-	40	((source adj3 (system$1 or (database$1 or (data adj base$1)))) with (source near3 (id or identification or identifier$1))) with (stor$3)	USPAT; US-PGPUB	2002/07/16 17:31
-	28	((source adj3 (system$1 or (database$1 or (data adj base$1)))) with (source near3 (id or identification or identifier$1))) and aggregat$3	USPAT; US-PGPUB	2002/07/16 17:34
-	808151	aggregat near (5978811.pn. or 6263341.pn. or 5249300.pn.or 6085198.pn.or 5295256.pn.) table$1	USPAT; US-PGPUB	2002/07/16 17:35
-	56	aggregate adj1 table$1	USPAT; US-PGPUB	2002/07/16 17:36
-	21	(aggregate adj1 table$1) and sum	USPAT; US-PGPUB	2002/07/16 17:37
-	15	((aggregate adj1 table$1) and sum) and average	USPAT; US-PGPUB	2002/07/16 17:56
-	106	(datamart$1 or (data adj1 mart$1))	USPAT; US-PGPUB	2002/07/16 17:58
-	17	((datamart$1 or (data adj1 mart$1))) and star	USPAT; US-PGPUB	2002/07/16 17:58
-	14	(((datamart$1 or (data adj1 mart$1))) and star) and (fact adj table$1)	USPAT; US-PGPUB	2002/07/16 17:59

C:\APPS\EAST\Workspaces\Creating_Database_09625518.wsp

-	0	((((datamart$1 or (data adj1 mart$1))) and star) and (fact adj table$1)) and dimention	USPAT; US-PGPUB	2002/07/16 18:00
-	13	((((datamart$1 or (data adj1 mart$1))) and star) and (fact adj table$1)) and dimension	USPAT; US-PGPUB	2002/07/16 18:00

C:\APPS\EAST\Workspaces\Creating_Database_09625518.wsp